SWRCB SENSOR FIELD EVALUATION SITE DATA COLLECTION FORM

Site # _____

Date:			Tim	ne Testin	g Begins			Time T	esting End	ls:
Facility Name	:	•			0 0	Address:	}	•		
Facility Owner	ership:	Major O	il 🗆]	Independ	ent Oil 🗆	G	overnme	ent Agency	
-		Other:			•				0 ,	
7D 1 7D	G: 1	XX 11 —		11 ***	. 11 —	G. 1 =	72.1			
Tank Type:	Single	-Wall □	D	ouble-W	all \square	Steel	Fiberg	glass 🗆	Dry \square	Hydrostatic [
Piping Type:	Single	e-Wall 🗆]	Double-V	Wall 🗆	Pressur	ized 🗆	Suct	ion 🗆	
	Steel	□ Fil	berg	lass 🗆	Flex	Fibe	er Trenc	h 🗆		
# of Tanks:				# of Sur	nps:			# of Di	spensers:	
			1							
STAFF										
SWRCB Staf	f Presen	t:								
Local Agency	Staff					Agency:				
Present										
Service Techr	nician(s)	Conduct	ing [Test:						
Contractor:						Years in		y:		
Manufacture						Manufac	turer:			
Representativ	es:									
WEATHED A	CONDI	CLONG								
WEATHER O			σ•			Temner	ature at	t End of	Testing:	
Humidity at S			<u>s• </u>					d of Tes		
General		Sunny [(Cloudy [ndy □		Light Rain	
Conditions:		Heavy Rai	in 🗆		Fog □	Oth	-		8	
					- 8					
COMMENTS	5:									

SWRCB SENSOR FIELD EVALUATION, SENSOR DATA COLLECTION FORM

EQUIPMEMNT INFO	RMA.	ΓΙΟΝ										
Sensor Make:						Sensor Model:						
Sensor Serial #:						Sensor Manufacture Date:						
Control Panel Make:						Control Panel Model:						
Control Panel Serial #	‡:				Control Panel anufacture Date:							
Operating Principle:		at Switch		Ultrasoi	nic 🗆	Product P	ermeable		Optical			
		acitance Chan					Conductivity			ctivity 🗆		
Discriminating? Y	N	Continuou	s? Y	N	Re	eusable? Y N	List	ed in	LG-11	3? Y N		
APPLICATION INFO	RMA	ΓΙΟΝ										
Sensor Location: T	ank Ir	nterstice	I	Pump Su	mp 🗆	Fill Su	ітр 🗆		UD	С		
V	apor '	Well □		Ground	dwater	Well □	Trench Liner					
Is Sensor at Lov	vest P	oint?	Is V	Viring (Connec	ted Properly?	Total # of	Senso	ors			
Yes No	NA	1		Yes	No	- •	Recorded	on th	is Fort	m:		
Sensor Location		Is Clean and	Dry 🗆	Co	ontains	Water □ (Contains Deb	ris 🗆	Bri	ine-Filled		
(check all that apply)		Contains Prod	-	Co	ontains	Backfill I	Has Strong V	apor S	mell [
Sensor is Monitoring f	or	Regular Unle					Premium Unl			Water □		
the Presence of		Diesel		e 🗆			Other:	cuaca		water =		
Tank/Sump/UDC		Steel	Dillic		/Plastic		glass \square					
Monitored by Sensor i	ic	Membrane/Li	: ¬	HDP		Other	-					
			iner \square	прр	E 🗆	Other	1.					
Tank/Sump/UDC Mar	<u>1utact</u>	urer:										
WATER TEST (Low)												
Water Height:						Response Time						
Recovery Time						Pump Shut-Dow		Yes	No	NA		
Alarm Activated: V	Vater	Product	Both	None		Test Result:]	Pass		Fail		
WATER TEST (High)												
Water Height:						Response Time						
Recovery Time						Pump Shut-Dow	'n	Yes	No	NA		
•	Vater	Product	Both	None		Test Result:		Pass		Fail		
PRODUCT TEST						Product Used:						
Product Height:						Response Time						
Recovery Time:						Pump Shut-Dow	'n	Yes	No	NA		
	Vater	Product	Both	None		Test Result:		Pass	110	Fail		
That in Tienvace.	, atti	1104401	Bom	110110		Test Result.		455		1 411		
PRODUCT ON WATE	R TES	ST				D. I. (WILL)						
Water Height:						Product Thickne	ess:					
Response Time:						Recovery Time:						
	Vater	Product	Both	None		Pump Shut-Dow		Yes	No	NA		
Product Used:						Test Result:]	Pass		Fail		
After testing this sensor COMMENTS:	· was:	Repaired ¹	Rep	laced 🗆	Re	-Tested ² □ Re-I	nstalled □					

 $^{^{1}}$ Describe repairs in Comments section 2 If the sensor is re-tested, record test data in another sensor form and attach it to the back of this form

Veeder-Root Discriminating Sensor Field Performance Test

Site	Addres	ss:										Date:				
Tes	ting Co	ntractor:						SWRC	B Staff:							
Weather Conditions: Diameter of test apparatus (in.): Site ID #:																
High Water Level Fuel Water/Fuel Mixture									e							
Sensor	Water	Resp		Recovery	Fuel Time in Respo				Water	Fuel	Time in Resp	oonse R	Recovery	Or Fail?		
Model	Level (in.)	Time to Alarm (mm:ss)	Alarm Type (WFN)	Time (mm:ss)	Level (in)	Fuel (mm:ss)	Time to Alarm (mm:ss)	Alarm Type (WFN)	Time (mm:ss)	Level (in.)	Thickness (in.)	Liquid (mm:ss)	Time to Alarm (mm:ss)	Alarm Type (WFN)	Time (mm:ss)	ган:

Comments:		

- 1) Sensor Location: T1 to T4 are sensors in tanks 1-4, S1 to S4 are sensors in the turbine sumps of tanks 1-4, additional sensor locations should be included in the "comments" section of this form.
- 2) Alarm Type: W = Water, F = Fuel, N = None. Include both W and F if applicable.

S1

T1

- 3) Times: All times will be taken from the moment the sensor is placed in the fluid. The clock will not be zeroed between alarm activation and recovery.
- 4) Indicate any sensors that were replaced, noting the model # of the old and new sensors as well as the reason for replacement.